

Mongolia - HSES 2015

National Statistical Office of Mongolia - NSO

Report generated on: July 22, 2021

Visit our data catalog at: <http://web.nso.mn/nada/index.php>

Sampling

Sampling Procedure

Sampling

The HSES is representative of the nation, region, urban/rural areas, residential location and amigias. It was enumerated in 320 soums and 9 districts of Mongolia. In total 11,232 households were randomly selected for the HSES 2015.

Sampling frame

The list of all households of Mongolia or the list of households registered in the population and households' database at NSO was used for HSES as a sampling frame.

Sample size

For the HSES 2015, the sample size is 11,232 households, of which 936 households were surveyed each month.

Samling design

The HSES's sampling strata or geographic domains of estimation were decided to the level of four residential location zones: Ulaanbaatar, Aimag center, Soum center, and Countryside.

Households were selected using two stages of probability sampling. In the first stage, Primary Sampling Unit (PSU) was selected, using probability proportional to estimated size, and then in the second stage, households are selected in the selected PSUs using simple random sampling.

In the HSES, Primary sampling units (PSUs) are kheseq in Ulaanbaatar, and bag in aimag, soum centers and countryside. In Ulaanbaatar city:

- 360 PSUs were selected out of total kheseqs of UB city
- 10 households were selected from each selected kheseqs.

In aimag centers:

- 12 PSUs were selected from each aimag center. Taking into account the number of households, 24 PSUs from Darkhan-Uul aimag and Orkhon aimag.
- 10 households were selected from each PSUs.

In soum centers and countryside:

- 24 bags were selected from each aimag as PSUs. For Khentii, Selenge, Bayankhongor, Zawkhan, Bayarn-Ulgii and Uvs aimags, 36 bags were selected. For Uvurkhangai, Tuv and Arkhangai aimags, 48 bags were selected. For Khuvsgul and Darkhan aimags, 60 and 12 bags were selected, respectively.
- 8 households were selected from each PSUs.

Sampling distribution

The sample size is distributed using proportional probability sampling techniques. Sampling distribution is made to be proportional to each domain, taking into account the number of households of aimags.

The sampling weight applied for each sample household is equal to the inverse of its probability of selection.

In the 2015 HSES, 99.8 percent of the selected hosueholds, or 11212 households have participated in the survey.

Questionnaires

No content available

Data Collection

Data Collection Dates

Start	End	Cycle
2015-01-01	2015-12-01	N/A

DATA COLLECTION NOTES

The overall data quality is to be considered of good standard. On the one hand, the large amounts of information that the HSES collects from households imposed new demands on operational strategies and data management compared to the previous HIES.

Data Processing

No content available

Data Appraisal

No content available